



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: Oilfino Hedera HLP-D 22 Zinkfrei**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture for industrial use**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
oilfino Mineralöl GmbH
Werkstr. 12
D- 25497 Prisdorf
info@oilfino.com
Tel.: +49 (0) 4101 / 79900
www.oilfino.com
- **Further information obtainable from:** Sales
- **Emergency telephone number:**
Gift-Informationszentrum Nord (Göttingen)
Telefon +49 (0)551-19240

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the GB CLP regulation.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
EUH 208: Contains Reaktionsprodukte von Bis (4-methyl-pentan-2-yl) dithiophosphorsäure mit Phosphoroxid, Propylenoxid und Amine, C12-14-Alkyl (verzweigt). May produce an allergic reaction. Safety data sheet available on request.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

GB

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- **Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-56-9 EINECS: 265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic Asp. Tox. 1, H304	≥50-≤100%
EC number: 931-384-6 Reg.nr.: 01-2119493620-38	Reaktionsprodukte von Bis (4-methyl-pentan-2-yl) dithiophosphorsäure mit Phosphoroxid, Propylenoxid und Amine, C12-14-Alkyl (verzweigt) Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1B, H317 Specific concentration limits: Eye Dam. 1; H318: C ≥ 50% Eye Irrit. 2; H319: 10 % ≤ C < 50 % Skin Sens. 1; H317: C ≥ 10 %	≥0.25-<1%

- **Additional information:**

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **Description of first aid measures**

- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 2)

Foam

Sand

Water haze

CO₂, powder or water spray. Fight larger fires with water spray.

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class (TRGS):** 10
- **Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

Reaktionsprodukte von Bis (4-methyl-pentan-2-yl) dithiophosphorsäure mit Phosphoroxid, Propylenoxid und Amine, C12-14-Alkyl (verzweigt)

Oral	DNEL Long-term - oral, systemic effects	0.25 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	12.5 mg/kg_bw/day (Worker)
		6.25 mg/kg_bw/day (general public)
Inhalative	DNEL Acute - dermal, local effects	0.024 mg/kg (general public)
	DNEL Long-term – inhalation, systemic effects	8.56 mg/m ³ /day (Worker)
		2.2 mg/m ³ /day (general public)

· **PNECs**

64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic

PNEC secondary poisoning 9.33 mg/kg KG/d

Reaktionsprodukte von Bis (4-methyl-pentan-2-yl) dithiophosphorsäure mit Phosphoroxid, Propylenoxid und Amine, C12-14-Alkyl (verzweigt)

PNEC short term, fresh water	0.001 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0001 mg/l (Aquatic organisms)
PNEC short term, sewage plant	24.33 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	14.4 mg/kg (Aquatic organisms)
PNEC short term soil	10 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	1.44 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	0.085 mg/l (Aquatic organisms)

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

· **Hand protection** necessary

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 4)

Material of gloves

Fluorocarbon rubber (Viton)
Nitrile rubber, NBR
Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Permeation level: 5-6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****General Information**

· Physical state	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	-30 °C
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	204 °C
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity at 40 °C	22.2 mm ² /s
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 5)

· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	0.873 g/cm ³
· Relative density	Not determined.
· Density (@15°C)	Not determined.
· Vapour density	Not determined.
· Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	0.00 %
· Solids content:	0.0 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 6)

- | | |
|----------------------------------|------|
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rat)

Reaktionsprodukte von Bis (4-methyl-pentan-2-yl) dithiophosphorsäure mit Phosphoroxid, Propylenoxid und Amine, C12-14-Alkyl (verzweigt)

Oral LD50 >2,000 mg/kg (rat)

- **Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 8)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 7)

SECTION 12: Ecological information

· **Toxicity**

· **Aquatic toxicity:**

64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic

LC50 (96h) mg/ltr.	>100 mg/ltr (Fish)
EC50 (48h)	>10,000 mg/l (Daphnia magna)
ErC (72h)	>100 mg/l (Pseudokirchneriella subcapitata)
NOEC	10 mg/l /21d (Daphnia magna)

Reaktionsprodukte von Bis (4-methyl-pentan-2-yl) dithiophosphorsäure mit Phosphoroxid, Propylenoxid und Amine, C12-14-Alkyl (verzweigt)

LC50 (96h) mg/ltr.	8.5 mg/ltr (Fish, minnows)
ErC (72h)	6.4 mg/l (Pseudokirchneriella subcapitata)

· **Persistence and degradability**

64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic	2-4 (28d) %
	Reaktionsprodukte von Bis (4-methyl-pentan-2-yl) dithiophosphorsäure mit Phosphoroxid, Propylenoxid und Amine, C12-14-Alkyl (verzweigt)	3,6 (28d) %

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **Other adverse effects** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Self-classification according to Annex 1 (to § 4 paragraph 1, § 8 paragraph 1 and § 10 paragraph 2) of the Ordinance on Facilities for Handling Substances Hazardous to Water 1, 2 (AwSV).

GB

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 8)

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · UN number or ID number | |
| · ADR, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · ADR, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · ADR, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | not regulated |

SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)**
None of the ingredients is listed.

(Contd. on page 10)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 9)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **VOC (EU)** 0.0 g/l
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

Relevant phrases

H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS: Quality Management department**Contact:** MSDS authorized Person**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (GB REACH)
PNEC: Predicted No-Effect Concentration (GB REACH)
LC50: Lethal concentration, 50 percent

(Contd. on page 11)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.04.2022

Version number 1.6 (replaces version 1.5)

Revision: 19.01.2022

Trade name: Oilfino Hedera HLP-D 22 Zinkfrei

(Contd. of page 10)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**