



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: Oilfino Finocut General**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Lubricant
Metal-working product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
oilfino Mineralöl GmbH
Werkstr. 12
D- 25497 Prisdorf
info@oilfino.com
Tel.: +49 (0) 4101 / 79900
www.oilfino.com
- **Further information obtainable from:** product safety department
- **1.4 Emergency telephone number:**
Poison Information Centre North (Göttingen)
Phone +49 (0)551-19240
National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 1)

· Hazard pictograms

GHS07

· Signal word Warning**· Hazard-determining components of labelling:**

1,2-benzisothiazol-3(2H)-one

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

GB

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 770-35-4 EINECS: 212-222-7 Reg.nr.: 01-2119486566-23	1-Phenoxypropan-2-ol Eye Irrit. 2, H319	≥0-<10%
CAS: 141-43-5 EINECS: 205-483-3 Reg.nr.: 01-2119486455-28	2-aminoethanol Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5%	≥2.5-<3%
CAS: 95-14-7 EINECS: 202-394-1 Reg.nr.: 01-2119979079-20	1,2,3-benzotriazole Aquatic Chronic 2, H411; Acute Tox. 4, H302; Eye Irrit. 2, H319	≥0.25-<2.5%
CAS: 68920-66-1 NLP: 500-236-9 Reg.nr.: 01-2119489407-26	Alcohols, C16-18 and C18 unsaturated, ethoxylated Aquatic Chronic 2, H411; Skin Irrit. 2, H315	≥0.25-<2.5%
CAS: 101-83-7 EINECS: 202-980-7 Reg.nr.: 01-2119493354-33	dicyclohexylamine Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<1%
CAS: 2634-33-5 EINECS: 220-120-9 Reg.nr.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	≥0.1-<0.25%
CAS: 4299-07-4 ELINCS: 420-590-7	2-n-butyl-benzo[d]isothiazol-3-one Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1, H317	≥0.025-<0.1%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

preservation agents (BENZISOTHIAZOLINONE)

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 3)

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray.
- **5.2 Special hazards arising from the substance or mixture**
In the event of fire, the following can be produced: Carbon dioxide (CO₂), carbon monoxide, nitrogen oxides (NO_x), phosphorus oxides, smoke and other products of incomplete combustion.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 4)

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep container tightly sealed.

· **Storage class (TRGS):** 10

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

141-43-5 2-aminoethanol

Oral	DNEL Long-term - oral, systemic effects	3.75 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	1 mg/kg_bw/d (Worker)

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 5)

Inhalative	DNEL long-term - inhalation local effects	0.24 mg/kg_bw/d (general public)
	DNEL Long-term – inhalation, systemic effects	2 mg/m ³ (general public)
		3.3 mg/m ³ /d (Worker)
95-14-7 1,2,3-benzotriazole		
Oral	DNEL Long-term - oral, systemic effects	0.54 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	1.08 mg/kg_bw/d (Worker)
		0.54 mg/kg_bw/d (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	19 mg/m ³ /d (Worker)
		9.55 mg/m ³ /d (general public)
68920-66-1 Alcohols, C16-18 and C18 unsaturated, ethoxylated		
Dermal	DNEL Long-term – dermal, systemic effects	2,080 mg/kg_bw/d (Worker)
Inhalative	DNEL Long-term – inhalation, systemic effects	294 mg/m ³ /d (Worker)
101-83-7 dicyclohexylamine		
Dermal	DNEL Long-term – dermal, systemic effects	0.1 mg/kg_bw/d (Worker)
Inhalative	DNEL Long-term – inhalation, systemic effects	0.353 mg/m ³ /d (Worker)

PNECs

141-43-5 2-aminoethanol

PNEC short term, fresh water	0.085 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0085 mg/l (Aquatic organisms)
PNEC short term, sewage plant	100 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.434 mg/kg (Aquatic organisms)
PNEC short term soil	0.0367 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.0434 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	0.028 mg/l (Aquatic organisms)

95-14-7 1,2,3-benzotriazole

PNEC short term, fresh water	0.0194 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0194 mg/l (Aquatic organisms)
PNEC short term, sewage plant	39.4 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.00375 mg/kg (Aquatic organisms)
PNEC short term soil	0.003 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.00375 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	0.158 mg/l (Aquatic organisms)

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 6)

68920-66-1 Alcohols, C16-18 and C18 unsaturated, ethoxylated

PNEC short term, fresh water	0.002 mg/l (Aquatic organisms)
PNEC short term, sea water	0.002 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	6.33 mg/kg (Aquatic organisms)
PNEC short term soil	1 mg/kg (terrestrial organisms)

101-83-7 dicyclohexylamine

PNEC short term, fresh water	0.00032 mg/l (Aquatic organisms)
PNEC short term, sea water	0.00003 mg/l (Aquatic organisms)
PNEC short term, sewage plant	108 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.00529 mg/kg (Aquatic organisms)

· **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls**Appropriate engineering controls**

Use only in well-ventilated areas. In case of open handling, use devices with local exhaust ventilation if possible. If local exhaust ventilation is not possible or is insufficient, ensure good ventilation of the work area where possible. Technical measures and the use of appropriate work procedures take precedence over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 7)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**
Material: NBR (nitrile rubber), CR (polychloroprene, chloroprene rubber),
Thickness of glove material: 0.70 mm
Penetration time (maximum wearing time): > 480 min
- **As protection from splashes gloves made of the following materials are suitable:**
Material: NBR (nitrile rubber), CR (polychloroprene, chloroprene rubber),
Thickness of glove material: 0.40 mm
Penetration time (maximum wearing time): > 30 min
- **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Yellow
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** >100 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** >100 °C
- **Decomposition temperature:** Not determined.
- **pH at 20 °C** 9.5
- **Viscosity:**
- **Kinematic viscosity at 20 °C** 150 mm²/s

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 8)

· Viscosity at 100°C:	
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	0.99 g/cm ³
· Relative density	Not determined.
· Density (@15°C)	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	1-<3 %
· VOC (EC)	1-<3 %
· Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void

(Contd. on page 10)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 9)

· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	>10,000-14,286 mg/kg (rat)
Dermal	LD50	>12,500-24,012 mg/kg (rabbit)
Inhalative	LD50	>367-1,100 mg/kg

141-43-5 2-aminoethanol

Oral	LD50	2,050 mg/kg (rat)
Dermal	LD50	1,000 mg/kg (rabbit)

95-14-7 1,2,3-benzotriazole

Oral	LD50	500 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

(Contd. on page 11)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 10)

101-83-7 dicyclohexylamine

Oral	LD50	200 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	200 mg/kg
Dermal	LD50	200-316 mg/kg (rabbit)
	Acute toxicity estimates	200 mg/kg

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral	LD50	532 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	490 mg/kg
Dermal	LD50	>2,000 mg/kg (rat)

4299-07-4 2-n-butyl-benzo[d]isothiazol-3-one

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information· **12.1 Toxicity**· **Aquatic toxicity:****95-14-7 1,2,3-benzotriazole**

LC50 (96h) mg/ltr.	180 mg/ltr (Zebrafisch)
EC50 (48h)	15.8 mg/l (daphnia)
EC50 (72h)	29 mg/l (algae)
NOEL (21d)	605 ml/l (rat)

101-83-7 dicyclohexylamine

LC50 (96h)	12 mg/l (Fish)
EC50 (48h)	1.5 mg/l (daphnia)

2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50 (96h) mg/ltr.	1.6-2.18 mg/ltr (rainbow trout) (OECD 203)
--------------------	--

(Contd. on page 12)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 11)

EC50 (48h)	2.94-3.27 mg/l (Daphnia magna) (OECD 202)
EC50 (72h)	0.11 mg/l (Scenedesmus quadricauda) (OECD 201) 0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EC10 (72h)	0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)
NOEC	0.21 mg/l (rainbow trout) (OECD 215)
4299-07-4 2-n-butyl-benzo[d]isothiazol-3-one	
LC50 (96h) mg/ltr.	0.15 mg/ltr (rainbow trout)
EC50 (48h)	0.093 mg/l (daphnia)

· 12.2 Persistence and degradability

95-14-7 | 1,2,3-benzotriazole | 90 %

· 12.3 Bioaccumulative potential

4299-07-4 | 2-n-butyl-benzo[d]isothiazol-3-one | 2,86

· 12.4 Mobility in soil No further relevant information available.**· 12.5 Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects No further relevant information available.**· Remark:** Harmful to fish**· Additional ecological information:****· General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Self-classification according to Annex 1 (to § 4 paragraph 1, § 8 paragraph 1 and § 10 paragraph 2) of the Ordinance on Facilities for Handling Substances Hazardous to Water 1, 2 (AwSV).

Harmful to aquatic organisms

SECTION 13: Disposal considerations**· 13.1 Waste treatment methods****· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 13)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 12)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|---|-----------------|
| · 14.1 UN number or ID number
· ADR, IMDG, IATA | not regulated |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | not regulated |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | not regulated |
| · 14.4 Packing group
· ADR, IMDG, IATA | not regulated |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | not regulated |

SECTION 15: Regulatory information

- | |
|---|
| · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed) |
| None of the ingredients is listed. |
| · Poisons Act |
| · Regulated explosives precursors |
| None of the ingredients is listed. |
| · Regulated poisons |
| None of the ingredients is listed. |

(Contd. on page 14)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 13)

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU**· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· National regulations:****· VOC (EU)** 9.9-<29.7 g/l**· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information****· Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 15)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

Trade name: Oilfino Finocut General

(Contd. of page 14)

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· **Contact:** MSDS authorized Person· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3