



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Oilfino Finocut Grinding**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Lubricant  
Metal-working product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
oilfino Mineralöl GmbH  
Werkstr. 12  
D- 25497 Prisdorf  
info@oilfino.com  
Tel.: +49 (0) 4101 / 79900  
www.oilfino.com
- **Further information obtainable from:** product safety department
- **1.4 Emergency telephone number:**  
Poison Information Centre North (Göttingen)  
Phone +49 (0)551-19240  
National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)  
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 1)

**· Hazard pictograms**

GHS07

**· Signal word** Warning**· Hazard-determining components of labelling:**

1,2-benzisothiazol-3(2H)-one

**· Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

**· Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· 2.3 Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

GB

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 2)

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 101-83-7 EINECS: 202-980-7 Reg.nr.: 01-2119493354-33	dicyclohexylamine Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥1-<2.5%
CAS: 2634-33-5 EINECS: 220-120-9 Reg.nr.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	≥0.25-<1%

**Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants	≥5 - <15%
preservation agents (BENZISOTHIAZOLINONE)	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures****General information:** Immediately remove any clothing soiled by the product.**After inhalation:**

Supply fresh air; consult doctor in case of complaints.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If symptoms persist consult doctor.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 4)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 3)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 4)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class (TRGS):** 10
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**101-83-7 dicyclohexylamine**

Dermal	DNEL Long-term – dermal, systemic effects	0.1 mg/kg_bw/d (Worker)
Inhalative	DNEL Long-term – inhalation, systemic effects	0.353 mg/m <sup>3</sup> /d (Worker)

· **PNECs**

**101-83-7 dicyclohexylamine**

PNEC short term, fresh water	0.00032 mg/l (Aquatic organisms)
PNEC short term, sea water	0.00003 mg/l (Aquatic organisms)
PNEC short term, sewage plant	108 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.00529 mg/kg (Aquatic organisms)

- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 5)

**· Hand protection**

Protective gloves

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· For the permanent contact gloves made of the following materials are suitable:**

Material: NBR (nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of glove material: 0.70 mm

Penetration time (maximum wearing time): > 480 min

**· As protection from splashes gloves made of the following materials are suitable:**

Material: NBR (nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of glove material: 0.40 mm

Penetration time (maximum wearing time): > 30 min

**· Eye/face protection**

Tightly sealed goggles

### SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

Yellow

**· Odour:**

Characteristic

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

Undetermined.

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 6)

· <b>Boiling point or initial boiling point and boiling range</b>	>100 °C
· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	>100 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20 °C</b>	9.4
· <b>Viscosity:</b>	
· <b>Kinematic viscosity at 20 °C</b>	11 mm <sup>2</sup> /s
· <b>Viscosity at 100°C:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.07 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Density (@15°C)</b>	Not determined.
· <b>Vapour density</b>	Not determined.

<b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	5.0 %
· <b>VOC (EC)</b>	5.00 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.

· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void

(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 7)

· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral	LD50	>10,000 mg/kg (rat)
Dermal	LD50	>10,000-15,800 mg/kg (rabbit)

(Contd. on page 9)





**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 8)

**101-83-7 dicyclohexylamine**

Oral	LD50	200 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	200 mg/kg
Dermal	LD50	200-316 mg/kg (rabbit)
	Acute toxicity estimates	200 mg/kg

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

Oral	LD50	532 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	490 mg/kg
Dermal	LD50	>2,000 mg/kg (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**101-83-7 dicyclohexylamine**

LC50 (96h)	12 mg/l (Fish)
EC50 (48h)	1.5 mg/l (daphnia)

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

LC50 (96h) mg/ltr.	1.6-2.18 mg/ltr (rainbow trout) (OECD 203)
EC50 (48h)	2.94-3.27 mg/l (Daphnia magna) (OECD 202)
EC50 (72h)	0.11 mg/l (Scenedesmus quadricauda) (OECD 201)
	0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EC10 (72h)	0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)
NOEC	0.21 mg/l (rainbow trout) (OECD 215)

· **12.2 Persistence and degradability**

102-71-6	Triethanolamine	>87 %
----------	-----------------	-------

- **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 10)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 9)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Self-classification according to Annex 1 (to § 4 paragraph 1, § 8 paragraph 1 and § 10 paragraph 2) of the Ordinance on Facilities for Handling Substances Hazardous to Water 1, 2 (AwSV).  
Harmful to aquatic organisms

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |                                       |               |
|---------------------------------------|---------------|
| · <b>14.1 UN number or ID number</b>  |               |
| · <b>ADR, IMDG, IATA</b>              | not regulated |
| · <b>14.2 UN proper shipping name</b> |               |
| · <b>ADR, IMDG, IATA</b>              | not regulated |

(Contd. on page 11)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 10)

- |   |                 |
|---|-----------------|
| · <b>14.3 Transport hazard class(es)</b>                              |                 |
| · <b>ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>  | not regulated   |
| · <b>14.4 Packing group</b>   |                 |
| · <b>ADR, IMDG, IATA</b>  | not regulated   |
| · <b>14.5 Environmental hazards:</b>                                  | Not applicable. |
| · <b>14.6 Special precautions for user</b>                            | Not applicable. |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                       | not regulated   |

**SECTION 15: Regulatory information**

- |   |
|---|
| · <b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)</b> |
| None of the ingredients is listed.  |
| · <b>Poisons Act</b>  |
| · <b>Regulated explosives precursors</b>  |
| None of the ingredients is listed.  |
| · <b>Regulated poisons</b>  |
| None of the ingredients is listed.  |
| · <b>Reportable explosives precursors</b>   |
| None of the ingredients is listed.  |
| · <b>Reportable poisons</b>   |
| None of the ingredients is listed.  |
| · <b>Directive 2012/18/EU</b>   |
| · <b>Named dangerous substances - ANNEX I</b> None of the ingredients is listed.  |
| · <b>National regulations:</b>  |
| · <b>VOC (EU) 53.5 g/l</b>  |

(Contd. on page 12)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 11)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

- **Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

- **Relevant phrases**

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

- **Contact:** MSDS authorized Person

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 13)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 1.0

Revision: 25.10.2023

**Trade name: Oilfino Finocut Grinding**

(Contd. of page 12)

Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB