

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· Product identifier

- · Trade name: Oilfino CVT-Fluid
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Gearbox oil

· Details of the supplier of the safety data sheet

- Manufacturer/Supplier: oilfino Mineralöl GmbH Werkstr. 12 D- 25497 Prisdorf info@oilfino.com Tel.: +49 (0) 4101 / 79900 www.oilfino.com
- · Further information obtainable from: Sales
- · Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen) Telefon +49 (0)551-19240

SECTION 2: Hazards identification

· Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino CVT-Fluid

(Contd. of page 1) Dangerous components: Distillates (petroleum), hydrotreated light paraffinic CAS: 64742-55-8 ≥50-≤100% EINECS: 265-158-7 Asp. Tox. 1, H304 Methacrylat Copolymer >2.5-<10% Eye Irrit. 2, H319 CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-≥0-≤10% EINECS: 276-737-9 based Asp. Tox. 1, H304 Additional information: Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · Description of first aid measures
- After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor: Symptomatische Behandlung
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

⁻ GB



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino CVT-Fluid

(Contd. of page 2) • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class (TRGS): 12
- \cdot Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| DNELS | | | |
|---|--|--|--|
| 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic | | | |
| Dermal DNEL Long-term – dermal, systemic effects | 1 mg/kg_bw/day (Worker) | | |
| Inhalative DNEL Long-term – inhalation, systemic effects | 2.7 mg/m³/day (Worker) | | |
| 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | | | |
| Inhalative DNEL long-term - inhalation local effects | 5.4 mg/m ³ (Worker) | | |
| | 1.2 mg/m ³ (general public) | | |
| · · · | (Contd. on page 4) | | |



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

(Contd. of page 3)

Trade name: Oilfino CVT-Fluid

· PNECs

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

PNEC secondary poisoning 9.33 mg/kg KG/d

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling

| Information on basic physica General Information | I and chemical properties | |
|---|---------------------------|--|
| Appearance: | | |
| Form: | Fluid | |
| Colour: | Red | |
| Odour: | Characteristic | |
| Odour threshold: | Not determined. | |
| pH-value: | Not determined. | |



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino CVT-Fluid

| | (Contd. of page |
|---|--|
| Change in condition Melting point/freezing point: Initial boiling point and boiling range | Undetermined. : Undetermined. |
| Flash point: | Not applicable. |
| Flammability (solid, gas): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Explosion limits: Lower: Upper: | Not determined. Not determined. |
| Vapour pressure: | Not determined. |
| Density at 20 °C: Relative density Vapour density Evaporation rate | 0.848 g/cm ³ Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with water: | Not miscible or difficult to mix. |
| Partition coefficient: n-octanol/water: | Not determined. |
| Viscosity: Dynamic: Kinematic at 40 °C: | Not determined. 32.63 mm²/s |
| Solvent content: VOC (EC) | 0.00 % |
| Solids content: | 0.0 % |
| Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

 \cdot Reactivity No further relevant information available.

(Contd. on page 6)

[—] GB ·



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

(Contd. of page 5)

Trade name: Oilfino CVT-Fluid

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

GR



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino CVT-Fluid

(Contd. of page 6)

| Toxicity | | |
|-----------------------------|--|-----------------|
| Aquatic toxicity: | | |
| 64742-55-8 Distilla | ates (petroleum), hydrotreated light paraffinic | |
| LC50 (96h) mg/ltr. | >100 mg/ltr (Pimephales promelas) | |
| EC50 (48h) | >10,000 mg/l (Daphnia magna) | |
| NOEC | 100 mg/ml /3d (algae) | |
| | 10 mg/ml /21d (Daphnia magna) | |
| 72623-86-0 Lubric | ating oils (petroleum), C15-30, hydrotreated neutral oil-ba | sed |
| LC50 (96h) mg/ltr. | 100 mg/ltr (Fish) | |
| LC50 (48h) mg/ltr | >10,000 mg/ltr (Aquatic organisms) | |
| NOEC | 10 mg/ml /21d / chroni (Daphnia magna) | |
| | >100 mg/ml /72h / acut (Pseudokirchneriella subcapitata) | |
| Persistence and c | degradability | |
| 64742-55-8 Distilla | ates (petroleum), hydrotreated light paraffinic | 31 (28d) % |
| 72623-86-0 Lubric | ating oils (petroleum), C15-30, hydrotreated neutral oil-based | 2-4 (28d) % |
| Behaviour in envi | ironmental systems: | |
| Bioaccumulative | potential | |
| 64742-55-8 Distilla | ates (petroleum), hydrotreated light paraffinic >3,5 | |
| | o further relevant information available. | |
| Additional ecolog | ical information: | |
| General notes: | | <i>c</i> , |
| | s 1 (German Regulation) (Self-assessment): slightly hazardous | |
| sewage system. | luted product or large quantities of it to reach ground wate | r, water course |
| | nd vPvB assessment | |
| • PBT: Not applicabl | | |
| vPvB: Not applical | | |
| | ects No further relevant information available. | |



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino CVT-Fluid

(Contd. of page 7)

SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · European waste catalogue

15 01 10* packaging containing residues of or contaminated by hazardous substances

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

| UN-Number | | |
|------------------------------------|-----------------|--|
| ADR, IMDG, IATA | not regulated | |
| UN proper shipping name | | |
| ADR, IMDG, IATA | not regulated | |
| Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | not regulated | |
| Packing group | | |
| ADR, IMDG, IATA | not regulated | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Ann | ex II of | |
| Marpol and the IBC Code | Not applicable. | |
| UN "Model Regulation": | not regulated | |

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino CVT-Fluid

(Contd. of page 8)

SECTION 15: Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

H304 May be fatal if swallowed and enters airways. H319 Causes serious eye irritation.

- · Department issuing SDS: Environmental Protection Department
- Contact: MSDS authorized Person
- Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

(Contd. of page 9)

Trade name: Oilfino CVT-Fluid

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 • * **Data compared to the previous version altered.**

GB