

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Oilfino Contex BAB
- · **UFI**: 68J0-W0JD-J005-SR2T
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Coating
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

oilfino Mineralöl GmbH

Werkstr. 12

D- 25497 Prisdorf

info@oilfino.com

Tel.: +49 (0) 4101 / 79900

www.oilfino.com

- · Further information obtainable from: Sales
- · Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen)

Telefon +49 (0)551-19240

SECTION 2: Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



Signal word Danger

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

(Contd. of page 1)

· Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), heavy hydrocracked

Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · Chemical characterisation: Mixtures
- **Description**: Mixture of substances listed below with nonhazardous additions.

· Dan	· Dangerous components:			
1		Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	≥50-≤100%	
	S: 64741-76-0 ECS: 265-077-7	Distillates (petroleum), heavy hydrocracked Asp. Tox. 1, H304	25-50%	

Additional information:

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- Description of first aid measures
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

(Contd. of page 2)

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand

Water haze

CO2, powder or water spray. Fight larger fires with water spray.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

(Contd. of page 3)

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class (TRGS): 10
- · Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELS				
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic				
Dermal	DNEL Long-term – dermal, systemic effects	1 mg/kg_bw/day (Worker)		
Inhalative	DNEL Long-term – inhalation, systemic effects	2.7 mg/m³/day (Worker)		
64741-76-0 Distillates (petroleum), heavy hydrocracked				
Inhalative DNEL Long-term – inhalation, systemic effects 5.4 mg/m³/day (Worker)		5.4 mg/m³/day (Worker)		
		1.2 mg/m³/day (general public)		

· PNECs

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

PNEC secondary poisoning | 9.33 mg/kg KG/d

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

· Protection of hands:

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- Appearance:

Form: Fluid
Colour: Yellowish
Odour: Characteristic
Odour threshold: Not determined.

• **pH-value at 20 °C:** 7.5-9

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

· Flash point: 140 °C

· Flammability (solid, gas): Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

	(Contd. of pag	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	3.2 Vol %	
Upper:	53 Vol %	
Vapour pressure:	Not determined.	
Density at 20 °C:	0.85 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water at 20 °C:	1.000 g/l	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C:	19 mm²/s	
Solvent content:		
VOC (EC)	0.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

ЭВ -



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

(Contd. of page 6)

SECTION 11: Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	relevant for	or classification:
-----------	--------	--------------	--------------------

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral LD50 >5,000 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· Toxicity

-	Αa	uatic	toxi	citv:
	, ,,	uuuu	COAL	U.L.Y.

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

LC50 (96h) mg/ltr. >100 mg/ltr (Pimephales promelas)
EC50 (48h) >10,000 mg/l (Daphnia magna)
NOEC 100 mg/ml /3d (algae)

10 mg/ml /21d (Daphnia magna)

· Persistence and degradability

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic 31 (28d) %

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

· Behaviour in environmental systems:

(Contd. of page 7)

· Bioaccumulative potential

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic >3,5

- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue			
13 02 05*	13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils		
15 01 10*	packaging containing residues of or contaminated by hazardous substances		
HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity			

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · UN-Number
- · ADR, IMDG, IATA not regulated
- · UN proper shipping name
- · ADR, IMDG, IATA not regulated

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

		(Contd. of page 8)
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.2 Revision: 25.02.2021

Trade name: Oilfino Contex BAB

(Contd. of page 9)

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Environmental Protection Department
- · Contact: MSDS authorized Person
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.