



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **Product identifier**
- **Trade name: Oilfino Cultor M 15W40**
- **UFI:** F880-S02Q-D006-AVW1
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Engine oil
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
oilfino Mineralöl GmbH
Werkstr. 12
D- 25497 Prisdorf
info@oilfino.com
Tel.: +49 (0) 4101 / 79900
www.oilfino.com
- **Further information obtainable from:** Sales
- **Emergency telephone number:**
Gift-Informationszentrum Nord (Göttingen)
Telefon +49 (0)551-19240

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 1)

Hazard pictograms

GHS05 GHS07

Signal word Danger**Hazard-determining components of labelling:**

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)
C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure
Benzene, polypropene derivatives, sulfonated, calcium salts

Hazard statements

H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients**Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 2)

· Dangerous components:		
CAS: 4259-15-8 EINECS: 224-235-5	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) Eye Dam. 1, H318; Aquatic Chronic 2, H411	≥3-≤10%
	Calcium branched alkyl phenate sulphide (overbased) Aquatic Chronic 4, H413	≥0-≤2.5%
CAS: 101-02-0 EINECS: 202-908-4	triphenyl phosphite Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 %	≥0.25-<2.5%
CAS: 597-82-0 EINECS: 209-909-9	O,O,O-triphenyl phosphorothioate Repr. 2, H361fd	≤2.5%
EC number: 939-580-3	C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure Skin Sens. 1B, H317	≥1-≤2.5%
	Benzene, polypropene derivatives, sulfonated, calcium salts Skin Sens. 1B, H317	≥1-≤2.5%
CAS: 121158-58-5 EC number: 310-154-3	phenol, dodecyl-, branched Repr. 1B, H360F; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.025-<0.25%

· **Additional information:**

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 3)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
Foam
Sand
Water haze
CO₂, powder or water spray. Fight larger fires with water spray.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

GB

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 4)

SECTION 7: Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class (TRGS):** 10
- **Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure

Dermal	DNEL Long-term – dermal, systemic effects	16.7 mg/kg_bw/day (Worker)
Inhalative	DNEL long-term - inhalation local effects	5.88 mg/m ³ (Worker)

121158-58-5 phenol, dodecyl-, branched

Dermal	DNEL Long-term – dermal, systemic effects	0.25 mg/kg_bw/day (Worker)
	DNEL Acute - dermal systemic effects	166 mg/kg bw/day (Worker)
Inhalative	DNEL Acute inhalation systemic effects	44.18 mg/m ³ (Worker)

· PNECs

C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure

PNEC short term, fresh water	0.2 mg/l (Aquatic organisms)
PNEC short term, sea water	0.02 mg/l (Aquatic organisms)

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 5)

PNEC short term fresh water sediment	8,556 mg/kg (Aquatic organisms)
PNEC short term soil	1,706.3 mg/kg (terrestrial organisms)
121158-58-5 phenol, dodecyl-, branched	
PNEC short term, fresh water	0.074 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0074 mg/l (Aquatic organisms)
PNEC short term, sewage plant	100 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.226 mg/kg (Aquatic organisms)
PNEC short term sea water sediment	0.0226 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	0.00037 mg/l (Aquatic organisms)

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 6)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Fluid
· Colour:	Brown
· Odour:	Characteristic
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

· Melting point/freezing point:	-30 °C
· Initial boiling point and boiling range:	Undetermined.

· **Flash point:** 218 °C

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· Explosion limits:

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20 °C:** 0.884 g/cm³

· **Relative density** Not determined.

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 7)

· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	93.5 mm ² /s
· Solvent content:	
VOC (EC)	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:**4259-15-8 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)**

Oral	LD50	3,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rab) (OECD 402)

(Contd. on page 9)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 8)

101-02-0 triphenyl phosphite

Oral LD50 1,600 mg/kg (rat)

597-82-0 O,O,O-triphenyl phosphorothioate

Oral LD50 10,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure

Oral LD50 >16,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

121158-58-5 phenol, dodecyl-, branched

Oral LD50 2,100-2,200 mg/kg (rat)

Dermal LD50 15,000 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **Toxicity**

- **Aquatic toxicity:**

4259-15-8 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

LL50 (96h) 4.4 mg/l (Oncorhynchus mykiss)

Calcium branched alkyl phenate sulphide (overbased)

LC50 (96h) mg/ltr. >1,000 mg/ltr (Fish)

EC50 (48h) >1,000 mg/l (daphnia)

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 9)

EC50 (96h) mg/ltr	>1,000 mg/ltr (algae)
C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure	
LC50 (96h) mg/ltr.	100 mg/ltr (Oncorhynchus mykiss)
EC50 (48h)	>100 mg/l (Daphnia magna)
ErC (72h)	>100 mg/l (Pseudokirchneriella subcapitata)
NOEC	10 mg/ml /21d (Daphnia magna)
121158-58-5 phenol, dodecyl-, branched	
EC50 (48h)	0.037-0.0927 mg/l (daphnia)
EC50 (72h)	0.15-0.765 mg/l (algae)
NOEC	0.07-0.442 mg/ml /3d (algae) 0.011 mg/ml /2d (daphnia)

· **Persistence and degradability**

1471314-23-4	C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure	26,7 (28d) %
--------------	---	--------------

· **Behaviour in environmental systems:**

· **Bioaccumulative potential**

	Calcium branched alkyl phenate sulphide (overbased)	11,8
121158-58-5	phenol, dodecyl-, branched	7,14

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

GB

(Contd. on page 11)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 10)

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **UN-Number**
- **ADR, IMDG, IATA** not regulated

- **UN proper shipping name**
- **ADR, IMDG, IATA** not regulated

- **Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** not regulated

- **Packing group**
- **ADR, IMDG, IATA** not regulated

- **Environmental hazards:** Not applicable.

- **Special precautions for user** Not applicable.

- **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

- **UN "Model Regulation":** not regulated



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 11)

SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- **Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.
- **Relevant phrases**
 - H302 Harmful if swallowed.
 - H314 Causes severe skin burns and eye damage.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.
 - H318 Causes serious eye damage.
 - H319 Causes serious eye irritation.
 - H360F May damage fertility.
 - H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
 - H400 Very toxic to aquatic life.
 - H410 Very toxic to aquatic life with long lasting effects.
 - H411 Toxic to aquatic life with long lasting effects.
 - H413 May cause long lasting harmful effects to aquatic life.
- **Department issuing SDS:** Environmental Protection Department
- **Contact:** MSDS authorized Person

(Contd. on page 13)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.4

Revision: 25.02.2021

Trade name: Oilfino Cultor M 15W40

(Contd. of page 12)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 1B: Reproductive toxicity – Category 1B
Repr. 2: Reproductive toxicity – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

*** Data compared to the previous version altered.**