



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: Oilfino Econ 9800 5W30**
- **UFI:** QYN0-P07F-Q00F-7E4K
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Engine oil
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
oilfino Mineralöl GmbH
Werkstr. 12
D- 25497 Prisdorf
info@oilfino.com
Tel.: +49 (0) 4101 / 79900
www.oilfino.com
- **Further information obtainable from:** product safety department
- **Emergency telephone number:**
Gift-Informationszentrum Nord (Göttingen)
Telefon +49 (0)551-19240

* **SECTION 2: Hazards identification**

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning

(Contd. on page 2)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 1)

- **Hazard-determining components of labelling:**
2,5-Furandion, Polymer mit 1-Hexadecen, 2-Methyloxiran-Polymer mit Oxiran-bis(2-aminopropyl) ether und 2-Methyl-1-propen,4-(Phenylamino)phenylimid
Calciumalkarylsulfonat, langkettig
Calcium long chain alkaryl sulfonate
Kokosnussöl, Reaktionsprodukte mit Borsäure (H3BO3), Diethanolamin und Glycerol
- **Hazard statements**
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves.
P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P321 Specific treatment (see on this label).
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

	Hoch raffiniertes Mineralöl (C15-C50) Asp. Tox. 1, H304	50-100%
CAS: 125643-61-0 ELINCS: 406-040-9	A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate Aquatic Chronic 4, H413	≥2.5-≤10%
CAS: 873694-48-5	2,5-Furandion, Polymer mit 1-Hexadecen, 2-Methyloxiran-Polymer mit Oxiran-bis(2-aminopropyl)ether und 2-Methyl-1-propen,4-(Phenylamino)phenylimid Skin Sens. 1, H317; Aquatic Chronic 4, H413	≥1-≤2.5%

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 2)

CAS: 722503-68-6 EC number: 682-816-2	Calciumalkarylsulfonat, langkettig Skin Sens. 1B, H317	≥0.1-<1%
CAS: 722503-69-7 EC number: 682-812-0	Calcium long chain alkaryl sulfonate Skin Sens. 1, H317; Aquatic Chronic 4, H413	≥0.1-<1%
CAS: 1428353-74-5 EC number: 806-731-9	Kokosnussöl, Reaktionsprodukte mit Borsäure (H3BO3), Diethanolamin und Glycerol Aquatic Chronic 2, H411; Eye Irrit. 2, H319; Skin Sens. 1B, H317	≥0.25-<1%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
Foam
Sand
Water haze
CO₂, powder or water spray. Fight larger fires with water spray.
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 3)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class (TRGS):** 10
- **Specific end use(s):** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 4)

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate

Oral	DNEL Long-term - oral, systemic effects	0.43 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	8.6 mg/kg_bw/day (Worker)
Inhalative	DNEL Long-term – inhalation, systemic effects	4.3 mg/kg_bw/day (general public)
		3 mg/m ³ /day (Worker)
		0.76 mg/m ³ /day (general public)

1428353-74-5 Kokosnussöl, Reaktionsprodukte mit Borsäure (H3BO3), Diethanolamin und Glycerol

Oral	DNEL Long-term - oral, systemic effects	0.1 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	1.1 mg/kg_bw/day (Worker)
Inhalative	DNEL Long-term – inhalation, systemic effects	0.6 mg/kg_bw/day (general public)
		0.8 mg/m ³ /day (Worker)
		0.2 mg/m ³ /day (general public)

- **PNECs**

125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate

PNEC short term, sewage plant	10 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.37 mg/kg (Aquatic organisms)
PNEC short term soil	0.632 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.037 mg/kg (Aquatic organisms)

1428353-74-5 Kokosnussöl, Reaktionsprodukte mit Borsäure (H3BO3), Diethanolamin und Glycerol

PNEC short term, fresh water	0.007 mg/l (Aquatic organisms)
PNEC short term, sea water	0.001 mg/l (Aquatic organisms)
PNEC short term, sewage plant	10 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	16.74 mg/kg (Aquatic organisms)
PNEC short term soil	13.59 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	1.674 mg/kg (Aquatic organisms)

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 5)

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Yellow-brown
Odour:	Petroleum-like

(Contd. on page 7)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 6)

· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
· Flash point:	>204 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	0.856 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic:	Not determined.
Kinematic at 40 °C:	21 mm ² /s
· Solvent content: VOC (EC)	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

GB

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 7)

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

722503-69-7 Calcium long chain alkaryl sulfonate

Oral LD50 2,900 mg/kg (rat)

>5,000 mg/kg (rabbit)

1428353-74-5 Kokosnussöl, Reaktionsprodukte mit Borsäure (H3BO3), Diethanolamin und Glycerol

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 8)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **Toxicity**

· **Aquatic toxicity:**

125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate

LC50 (96h) mg/ltr.	>74 mg/ltr (Zebrafisch)
LC50 14d (OECD 204)	>100 mg/ltr. (Fish)
EC50 (48h)	>100 mg/l (daphnia)
EL 50(72h)	>3 mg/l (algae)
NOEC	≥3 mg/ml /acut (desmodesmus subspicatus)

722503-69-7 Calcium long chain alkaryl sulfonate

EL50 (48h)	75 mg/l (Daphnia magna)
LL50 (96h)	4.4 mg/l (Oncorhynchus mykiss)

1428353-74-5 Kokosnussöl, Reaktionsprodukte mit Borsäure (H3BO3), Diethanolamin und Glycerol

LC50 (96h) mg/ltr.	10.2 mg/ltr (Oncorhynchus mykiss)
EC50 (48h)	4 mg/l (Daphnia magna)
ErC (72h)	7.4 mg/l (desmodesmus subspicatus)
NOEC	0.07 mg/ml /21d (Daphnia magna) 0.32 mg/ml /28d (Oncorhynchus mykiss)

· **Persistence and degradability**

125643-61-0	A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate	4 (28d) %
1428353-74-5	Kokosnussöl, Reaktionsprodukte mit Borsäure (H3BO3), Diethanolamin und Glycerol	87 (s8d) %

- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.

(Contd. on page 10)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 9)

- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|-------------------------------------|-----------------|
| · UN-Number | |
| · ADR, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · ADR, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · ADR, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |

(Contd. on page 11)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 10)

- | | |
|---|-----------------|
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- **Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.
- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.
- **Department issuing SDS:** Environmental Protection Department

(Contd. on page 12)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Econ 9800 5W30

(Contd. of page 11)

- **Contact:** MSDS authorized Person
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - DNEL: Derived No-Effect Level (REACH)
 - PNEC: Predicted No-Effect Concentration (REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 - Skin Sens. 1: Skin sensitisation – Category 1
 - Skin Sens. 1B: Skin sensitisation – Category 1B
 - Asp. Tox. 1: Aspiration hazard – Category 1
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 - Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4
- *** Data compared to the previous version altered.**