

Page 1/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Oilfino Famagas LA 40
- · UFI: EEH0-U0NE-G007-5A85
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Lubricant
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

oilfino Mineralöl GmbH

Werkstr. 12

D- 25497 Prisdorf

info@oilfino.com

Tel.: +49 (0) 4101 / 79900

www.oilfino.com

- · Further information obtainable from: Sales
- · Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen)

Telefon +49 (0)551-19240

SECTION 2: Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B H360F May damage fertility.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)



Page 2/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

(Contd. of page 1)

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms







GHS07 GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

Calciumalkarylsulfonat, langkettig phenol, dodecyl-, branched

· Hazard statements

H317 May cause an allergic skin reaction.

H360F May damage fertility.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P308+P313 İF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

GB



Page 3/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 128-37-0	Butylated hydroxytoluene	≥2.5-≤10%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 11059-65-7	Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)	≥2.5-≤10%
	Aquatic Chronic 3, H412	
CAS: 722503-68-6	Calciumalkarylsulfonat, langkettig	≥1-≤10%
EC number: 682-816-2	Skin Sens. 1B, H317	
	Phenol, Paraalkylierungsprodukte mit verzweigten C10-15-Olefinen (C12-reich), abgeleitet von der Propen-Oligomerisierung, Calciumsalzen, geschwefelt, einschließlich Destillaten (Erdöl), mit Wasserstoff behandelt, lösungsmittelraffiniert, lösungsmittelentparaffiniert oder katalytisch entparaffiniert, leicht oder schwer paraffinisch. C15- C50 [EG-	≥0-≤10%
	Nr. 701-249-4] Aquatic Chronic 4, H413	
CAS: 121158-58-5	phenol, dodecyl-, branched	≥0.3-<1%
EC number: 310-154-3	Repr. 1B, H360F; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

Additional information:

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

(Contd. on page 4)



Page 4/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

(Contd. of page 3)

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor: Symptomatic treatment
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand

Water haze

CO2, powder or water spray. Fight larger fires with water spray.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



Page 5/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

See Section 13 for disposal information.

(Contd. of page 4)

SECTION 7: Handling and storage

- Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class (TRGS): 6.1 C
- Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

128-37-0 I	-0 Butylated hydroxytoluene _ong-term value: 10 mg/m³		
WEL Lon			
DNELs			
128-37-0 Butylated hydroxytoluene			
Oral	DNEL Long-term - oral, systemic effects	0.25 mg/kg_bw/day (general public)	
Dermal	DNEL Long-term – dermal, systemic effects	0.5 mg/kg_bw/day (Worker)	
		0.25 mg/kg_bw/day (general public)	
Inhalative	DNEL Long-term – inhalation, systemic effects	3.5 mg/m³/day (Worker)	
		0.86 mg/m³/day (general public)	
11059-65-7 Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)			
Dermal	DNEL Long-term – dermal, systemic effects	1.65 mg/kg_bw/day (rat)	



Page 6/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

	DNEL Acute - dermal systemic effects		512 mg/kg bw/day (rat)
Inhalative	alative DNEL Long-term – inhalation, systemic effe		7.3 mg/m³/day (rat)
DNEL Acute – inhalation, sys		stemic effects	1,056 mg/m³ (rat)
von der Prope mit Wasserst	n-Oligomerisierung, Calciu off behandelt, lösungsmitte	ımsalzen, geschw elraffiniert, lösung	0-15-Olefinen (C12-reich), abgeleit refelt, einschließlich Destillaten (Er psmittelentparaffiniert oder katalyti
Oral	niert, leicht oder schwer pa DNEL Long-term - oral, syste		0.25 mg/kg bw/day (rat)
Olai	DNEL Acute - oral, systemic		50 mg/kg bw/day (rat)
Dermal	DNEL Long-term – dermal, s		0.5 mg/kg bw/day (rat)
Demiai	DNEL Acute - dermal system	•	40 mg/kg bw/day (rat)
Inhalative	l		3.5 mg/m³/day (rat)
IIIIaiauve	DNEL Acute – inhalation, sys	•	133.6 mg/m³ (rat)
1211E0 E0	3-5 phenol, dodecyl-, brancl		133.0 mg/m (rat)
Dermal	DNEL Long-term – dermal, s		0.25 mg/kg bw/day (Worker)
Demiai	DNEL Acute - dermal system	•	166 mg/kg bw/day (Worker)
Inhalativo	DNEL Acute inhalation system		44.18 mg/m³ (Worker)
	DNEL Acute Illianation syste	inic enects	44.16 mg/m (Worker)
PNECs	Dutulated budgevidalijana		
	Butylated hydroxytoluene ort term, fresh water	0.000100 mg/L/A	quatic organisms)
	ort term, nesn water	0.000199 mg/l (Aquatic organisms)	
	ort term, sea water ort term, sewage plant	0.0000199 mg/l (Aquatic organisms)	
	• .	0.17 mg/l (Aquatic organisms)	
	ort term soil	0.0996 mg/kg (Aquatic organisms)	
	ort term son ort term sea water sediment	0.04769 mg/kg (teresstric organismens)	
		0.00996 mg/kg (Aquatic organisms) 8.33 mg/kg KG/d	
PNEC secondary poisoning 121158-58-5 phenol, dodecyl-, brancl			
			ic organisms)
PNEC short term, fresh water		0.074 mg/l (Aquatic organisms) 0.0074 mg/l (Aquatic organisms)	
PNEC short term, sea water		100 mg/l (Aquatic organisms)	
PNEC short term, sewage plant		,	,
PNEC short term fresh water sediment PNEC short term sea water sediment		0.0226 mg/kg (Aquatic organisms)	

— G



Page 7/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

(Contd. of page 6)

PNEC short term, intermittent releases | 0.00037 mg/l (Aquatic organisms)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

- GE

(Contd. on page 8)



Page 8/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

(Contd. of page 7)

SECTION 9: Physical and chemical properties		
· Information on basic physical and chemical properties · General Information		
Form:	Fluid	
Colour:	Light yellow	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	-21 °C	
Initial boiling point and boiling range	: Undetermined.	
Flash point:	282 °C	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	0.891 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic at 40 °C:	146.5 mm ² /s	

(Contd. on page 9)



Page 9/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

	(Contd. of page 8
· Solvent content: VOC (EC)	0.00 %
Solids content:	<1.0 %
· Other information No further relevant information available.	

SECTION 10: Stability and reactivity

- · **Reactivity** No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
128-37-	0 Buty	lated hydroxytoluene	
Oral	LD50	>6,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
121158	121158-58-5 phenol, dodecyl-, branched		
Oral	LD50	2,100-2,200 mg/kg (rat)	
Dermal	LD50	15,000 mg/kg (rabbit)	
D.::	. :!4	at affa at.	

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 10)



Page 10/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

(Contd. of page 9)

- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity
 May damage fertility.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· Toxicity

· Aquatic toxicity:

128-37-0 Butylated hydroxytoluene			
	EC50 (48h)	0.48 mg/l (Daphnia magna)	
	NOEC	0.23 mg/ml /21d (Daphnia magna)	

0.053 mg/ml /42d (Fish)

121158-58-5 phenol, dodecyl-, branched

EC50 (48h) | 0.037-0.0927 mg/l (daphnia) EC50 (72h) | 0.15-0.765 mg/l (algae) NOEC | 0.07-0.442 mg/ml /3d (algae)

0.011 mg/ml /2d (daphnia)

Persistence and degradability

128-37-0 Butylated hydroxytoluene 4,5 (28d) %

- Behaviour in environmental systems:
- · Bioaccumulative potential

121158-58-5 phenol, dodecyl-, branched 7,14

- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 11)



Page 11/13

(Contd. of page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

Additional acalogical information:

· Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

	· European waste catalogue			
	13 01 10* mineral based non-chlorinated hydraulic oils			
15 01 10* packaging containing residues of or contaminated by hazardous substances		packaging containing residues of or contaminated by hazardous substances		
	HP10	Toxic for reproduction		
	HP14	Ecotoxic		

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- · UN-Number
- · ADR, IMDG, IATA not regulated
- · UN proper shipping name
- · ADR, IMDG, IATA not regulated

(Contd. on page 12)

GB



Page 12/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

		(Contd. of page 11)
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material

(Contd. on page 13)



Page 13/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 2.7 Revision: 25.02.2021

Trade name: Oilfino Famagas LA 40

(Contd. of page 12)

produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

Relevant phrases

H314 Causes severe skin burns and eve damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

· Department issuing SDS: Environmental Protection Department

· Contact: MSDS authorized Person

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Repr. 1B: Reproductive toxicity - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

* Data compared to the previous version altered.