

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Oilfino Geran 680
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Gearbox oil
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

oilfino Mineralöl GmbH

Werkstr. 12

D- 25497 Prisdorf

info@oilfino.com

Tel.: +49 (0) 4101 / 79900

www.oilfino.com

- · Further information obtainable from: Sales
- · Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen)

Telefon +49 (0)551-19240

SECTION 2: Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 128-37-0	Butylated hydroxytoluene	≥0.25-<2.5%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

Additional information:

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · Description of first aid measures
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand

Water haze

CO2, powder or water spray. Fight larger fires with water spray.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

- GB



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

Advice for firefighters

(Contd. of page 2)

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Storage class (TRGS): 10
- · Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- Control parameters

Exposure limit values / guide values for substances that may occur when handling this product. If the occurrence of mists / aerosols is possible

the following is recommended: 5 mg/m³ - ACGIH TLV; 10 mg/m³ - ACGIH STEL (breathable

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

£	4:			(Contd. of page 3)
	tion)			
· Ingr	redien	ts with limit values that req	uire monitoring a	t the workplace:
128	-37-0 E	Butylated hydroxytoluene		
WE	L Long	g-term value: 10 mg/m³		
· DNE	ΞLs			
128	-37-0 E	Butylated hydroxytoluene		
Ora	I	DNEL Long-term - oral, syste	emic effects	0.25 mg/kg_bw/day (general public)
Deri	mal	DNEL Long-term - dermal, s	systemic effects	0.5 mg/kg_bw/day (Worker)
				0.25 mg/kg_bw/day (general public)
Inha	alative	DNEL Long-term - inhalation	n, systemic effects	3.5 mg/m³/day (Worker)
				0.86 mg/m³/day (general public)
· PNE	ECs			
128	-37-0 E	Butylated hydroxytoluene		
PNE	PNEC short term, fresh water		0.000199 mg/l (Ad	quatic organisms)
PNE	PNEC short term, sea water		0.0000199 mg/l (A	Aquatic organisms)
PNE	PNEC short term, sewage plant		0.17 mg/l (Aquatio	organisms)
PNE	EC sho	rt term fresh water sediment	0.0996 mg/kg (Aq	uatic organisms)
PNE	EC sho	rt term soil	0.04769 mg/kg (te	eresstric organismens)
PNE	EC sho	rt term sea water sediment	0.00996 mg/kg (A	quatic organisms)
PNE	EC sec	ondary poisoning	8.33 mg/kg KG/d	

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore (Contd. on page 5)

- GE



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

(Contd. of page 4)

to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Light yellow
Odour: Characteristic
Odour threshold: Not determined.

• pH-value: Not determined.

· Change in condition

Melting point/freezing point: -15 °C

Initial boiling point and boiling range: Undetermined.

· Flash point: 300 °C

· Flammability (solid, gas): Not applicable.

• **Decomposition temperature:** Not determined.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· **Vapour pressure:** Not determined.

Density at 20 °C: 0.9 g/cm³

Relative densityVapour densityNot determined.Not determined.

· Evaporation rate Not determined.

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

	(Contd. of page	ge :
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic at 40 °C:	655.4 mm ² /s	
Solvent content:		
VOC (EC)	0.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

128-37-0 Butylated hydroxytoluene

Oral LD50 >6,000 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

(Contd. of page 6)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· Toxicity

· Aquatic toxicity:

128-37-0 Butylated hydroxytoluene

EC50 (48h) 0.48 mg/l (Daphnia magna)

NOEC 0.23 mg/ml /21d (Daphnia magna)

0.053 mg/ml /42d (Fish)

· Persistence and degradability

128-37-0 Butylated hydroxytoluene 4,5 (28d) %

- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

зв.



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

(Contd. of page 7)

SECTION 13: Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP14	Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR, IMDG, IATA	not regulated	
UN proper shipping name		
ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne	ex II of	
Marpol and the IBC Code	Not applicable.	

- GE



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.3 Revision: 25.02.2021

Trade name: Oilfino Geran 680

(Contd. of page 8)

SECTION 15: Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

Relevant phrases

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Environmental Protection Department
- · Contact: MSDS authorized Person
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 10)



Page 10/10

(Contd. of page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.3 Printing date 25.02.2021 Revision: 25.02.2021

Trade name: Oilfino Geran 680

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.