



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name: Oilfino Gerätebenzin 2T**
- **UFI: UEM0-J0TA-600J-A8NE**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** equipment gasoline
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
oilfino Mineralöl GmbH  
Werkstr. 12  
D- 25497 Prisdorf  
info@oilfino.com  
Tel.: +49 (0) 4101 / 79900  
www.oilfino.com
- **Further information obtainable from:** Sales
- **Emergency telephone number:**  
Gift-Informationszentrum Nord (Göttingen)  
Telefon +49 (0)551-19240

**SECTION 2: Hazards identification**

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 1      H224 Extremely flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2   H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 1)



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

STOT SE 3

H336 May cause drowsiness or dizziness.

**Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS02

GHS07

GHS08

GHS09

**Signal word** Danger**Hazard-determining components of labelling:**Naphtha (petroleum), full-range alkylate  
isopentane**Hazard statements**

H224 Extremely flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64741-64-6 EINECS: 265-066-7	Naphtha (petroleum), full-range alkylate Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥50-≤100%
CAS: 78-78-4 EINECS: 201-142-8	isopentane Flam. Liq. 1, H224; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	≥10-<25%

- **Additional information:**

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.  
For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

GB

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 3)

### SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 4)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Do not seal receptacle gas tight.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Storage class (TRGS):** 3
- **Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**78-78-4 isopentane**

WEL Long-term value: 1800 mg/m<sup>3</sup>, 600 ppm

· **DNELs**

**78-78-4 isopentane**

Oral	DNEL Long-term - oral, systemic effects	214 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	431 mg/kg_bw/day (Worker)
Inhalative	DNEL Long-term – inhalation, systemic effects	3,000 mg/m <sup>3</sup> /day (Worker)
		214 mg/m <sup>3</sup> /day (general public)

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 5)

- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - **Form:** Fluid
  - **Colour:** Brown
- **Odour:** Characteristic
- **Odour threshold:** Not determined.

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Gerätebenzin 2T

(Contd. of page 6)

· pH-value at 20 °C:	8.8-9.4
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	30-200 °C
· Flash point:	-51 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>200 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	1.3 Vol %
Upper:	7.6 Vol %
· Vapour pressure at 20 °C:	573 hPa
· Density at 20 °C:	0.69 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	1.9 mm <sup>2</sup> /s
· Solvent content:	
Organic solvents:	10-<25 %
VOC (EC)	10-<25 %
· Solids content:	0.0 %

(Contd. on page 8)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 7)

**Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:****64741-64-6 Naphtha (petroleum), full-range alkylate**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

**78-78-4 isopentane**

Oral	LD50	>2,000 mg/kg (rat)
Inhalative	LC50 (4h)	>1,280 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 9)





## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 8)

- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

**· Toxicity****· Aquatic toxicity:****64741-64-6 Naphtha (petroleum), full-range alkylate**

LC50 (48h) mg/ltr | 2 mg/ltr (KRU)

EC50 (72h) | 13 mg/l (algae)

- **Persistence and degradability** No further relevant information available.

**· Behaviour in environmental systems:****· Bioaccumulative potential**

	Oilfino Gerätebenzin 2T	>3,5
64741-64-6	Naphtha (petroleum), full-range alkylate	>0
78-78-4	isopentane	3.4

- **Mobility in soil** No further relevant information available.

**· Ecotoxicological effects:**

- **Remark:** Toxic for fish

**· Additional ecological information:****· General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

**· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

GB

(Contd. on page 10)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 9)

### SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **UN-Number**
- **ADR, IMDG, IATA** UN1203
- **UN proper shipping name**
- **ADR** 1203 MOTOR SPIRIT solution, ENVIRONMENTALLY HAZARDOUS
- **IMDG, IATA** MOTOR SPIRIT solution

- **Transport hazard class(es)**

- **ADR**



- **Class** 3 Flammable liquids.

(Contd. on page 11)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 10)

· <b>Label</b>	3
· <b>IMDG, IATA</b>	
· <b>Class</b>	3 Flammable liquids.
· <b>Label</b>	3
· <b>Packing group</b>	II
· <b>ADR, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: Naphtha (petroleum), full-range alkylate
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Flammable liquids.
· <b>Hazard identification number (Kemler code):</b>	33
· <b>EMS Number:</b>	F-E,S-E
· <b>Stowage Category</b>	E
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 12)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 11)

- **UN "Model Regulation":** UN 1203 MOTOR SPIRIT SOLUTION, 3, II, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**  
P5a FLAMMABLE LIQUIDS  
E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 10 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

- **Disclaimer**  
This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.
- **Relevant phrases**  
H224 Extremely flammable liquid and vapour.  
H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.

(Contd. on page 13)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

**Trade name: Oilfino Gerätebenzin 2T**

(Contd. of page 12)

H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Environmental Protection Department

· **Contact:** MSDS authorized Person

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 1: Flammable liquids – Category 1

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **\* Data compared to the previous version altered.**