

Page 1/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Oilfino Via Ultra G 5W-30
- · UFI: R820-A0RW-X00K-103H
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Engine oil
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

oilfino Mineralöl GmbH

Werkstr. 12

D- 25497 Prisdorf

info@oilfino.com

Tel.: +49 (0) 4101 / 79900

www.oilfino.com

- · Further information obtainable from: Sales
- · Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen)

Telefon +49 (0)551-19240

#### **SECTION 2: Hazards identification**

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



Signal word Warning

(Contd. on page 2)



Page 2/12

(Contd. of page 1)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

· Hazard statements

H319 Causes serious eye irritation.

**Precautionary statements** 

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information:

Contains Benzolsulfonsäure, Mono-C16-24-Alkylderivate, Calciumsalze. May produce an allergic reaction.

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compoi	nents:	
CAS: 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	≥25-≤100%
EINECS: 265-157-1	Asp. Tox. 1, H304	
CAS: 85940-28-9	Phosphordithiosäure, gemischte O, O-bis (2-ethylhexyl- und iso-	≥1-<2.5%
EINECS: 288-917-4	Bu- und iso-Pr) -ester, Zinksalze	
	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	
CAS: 70024-69-0	Benzolsulfonsäure, Mono-C16-24-Alkylderivate, Calciumsalze	≥0.1-<1%
EINECS: 274-263-7	Skin Sens. 1B, H317	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · Description of first aid measures
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)



Page 3/12

(Contd. of page 2)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand

Water haze

CO2, powder or water spray. Fight larger fires with water spray.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 4)



Page 4/12

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

(Contd. of page 3)

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class (TRGS): 10
- · Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs			
64742-54-	7 Distillates (petroleum), hy	drotreated heavy	paraffinic
Dermal	DNEL Long-term – dermal, s	ystemic effects	0.97 mg/kg_bw/day (Worker)
Inhalative	DNEL long-term - inhalation I	ocal effects	5.58 mg/m³ (Worker)
	DNEL Long-term – inhalation	, systemic effects	2.73 mg/m³/day (Worker)
85940-28-	<ul><li>9 Phosphordithiosäure, ger -ester, Zinksalze</li></ul>	nischte O, O-bis	(2-ethylhexyl- und iso-Bu- und iso-Pr
Oral	DNEL Long-term - oral, syste	mic effects	0.19 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects		9.6 mg/kg_bw/day (Worker)
			4.8 mg/kg_bw/day (general public)
Inhalative	DNEL Long-term – inhalation	, systemic effects	6.6 mg/m³/day (Worker)
			1.67 mg/m³/day (general public)
PNECs			
64742-54-	7 Distillates (petroleum), hy	drotreated heavy	paraffinic
PNEC secondary poisoning 9.33 mg/kg KG/d		9.33 mg/kg KG/d	
85940-28-	<ul><li>9 Phosphordithiosäure, ger -ester, Zinksalze</li></ul>	nischte O, O-bis	(2-ethylhexyl- und iso-Bu- und iso-Pr
PNEC sho	ort term, fresh water	0.002 mg/l (Aquat	ic organisms)
			(Contd. on page



Page 5/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

		(Contd. of page 4)
PNEC short term, sea water	0 mg/l (Aquatic organisms)	
PNEC short term, sewage plant	100 mg/l (Aquatic organisms)	
PNEC short term fresh water sediment	19.3 mg/kg (Aquatic organisms)	
PNEC short term soil	15.7 mg/kg (teresstric organismens)	
PNEC short term sea water sediment	1.93 mg/kg (Aquatic organisms)	
PNEC short term, intermittent releases	0.02 mg/l (Aquatic organisms)	

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)



Page 6/12


## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

· Eye protection:

(Contd. of page 5)



### **SECTION 9: Physical and chemical properties**

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Light brown
Odour: Characteristic
Odour threshold: Not determined.

• pH-value: Not determined.

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

· Flash point: >220 °C

· Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.
 Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

· Vapour pressure: Not determined.

Density at 20 °C: 0.848 g/cm³
Relative density Not determined.

Vapour densityEvaporation rateNot determined.Not determined.

(Contd. on page 7)



Page 7/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

		(Contd. of page 6)
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 40 °C:	>21.5 mm²/s	
· Solvent content:		
VOC (EC)	0.00 %	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

  ATE (Acute Toxicity Estimates)

Inhalative LD50 >92-230 mg/kg (rat)

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic
Oral | LD50 | >5,000 mg/kg (rat)

(Contd. on page 8)



Page 8/12

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

		(Contd. of page 7)
Dermal	LD50	>2,000 mg/kg (rab)
85940-28-		sphordithiosäure, gemischte O, O-bis (2-ethylhexyl- und iso-Bu- und iso-Pr) er, Zinksalze
Oral	LD50	3,080 mg/kg (rat)
Dermal	LD50	>20,000 mg/kg (rabbit)
Inhalative	LD50	>2.3 mg/kg (rat)
70024-69-	0 Benz	zolsulfonsäure, Mono-C16-24-Alkylderivate, Calciumsalze
Oral	LD50	20,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

· Toxicity

· Aquatic toxicity:		
64742-54-7 Distil	lates (petroleum), hydrotreated heavy paraffinic	
LC50 (96h) mg/ltr	:   >100 mg/ltr (Fish)	
EC50 (48h)	>10,000 mg/l (daphnia)	
EL50 (48h)	>10,000 mg/l (Daphnia magna)	
NOEC	10 mg/ml /21d chronic (Daphnia magna)	
	≥1,000 mg/ml /14d/ (Fish)	
	≥100 mg/ml /Akut, 96 (Pseudokirchneriella subcapitata)	
		(Contd. on page 9)



Page 9/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

		(Contd. of page 8) hosphordithiosäure, gemischte O, O-bis (2-ethylhexyl- und iso-Bu- und iso-Pr)
		ester, Zinksalze
	LC50 (96h) m	g/ltr. 4.5 mg/ltr (Fish)
	EC50 (48h)	5.4 mg/l (Daphnia magna)
		5.4 mg/l (daphnia)
	EC50 (72h)	72 mg/l (algae)
	ErC (72h)	2.1 mg/l (Selenastrum capricornutum)
	NOEC	0.4 mg/ml /21d (Daphnia magna)
	70024-69-0 B	enzolsulfonsäure, Mono-C16-24-Alkylderivate, Calciumsalze
	EC50 (48h)	>1,000 mg/l (Daphnia magna)
	NOEC	1,000 mg/ml /72d (algae)
Ī	Persistence	and degradability
		Distillates (petroleum), hydrotreated 31(28d) % eavy paraffinic
	(	Phosphordithiosäure, gemischte O, O-bis 2-ethylhexyl- und iso-Bu- und iso-Pr) - ester, Zinksalze

- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)



Page 10/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

	(Contd. of page 9)
· European	waste catalogue
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by hazardous substances

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inform	illation	
UN-Number		
ADR, IMDG, IATA	not regulated	
UN proper shipping name		
ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

### **SECTION 15: Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 11)



Page 11/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

(Contd. of page 10)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### · Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

#### · Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Environmental Protection Department
- · Contact: MSDS authorized Person
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 12)



Page 12/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021 Version number 1.7 Revision: 25.02.2021

Trade name: Oilfino Via Ultra G 5W-30

(Contd. of page 11)

Skin Sens. 1B: Skin sensitisation – Category 1B
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

\* Data compared to the previous version altered.